


KENNY CLAMPS®

BONDING AND GROUNDING CONNECTOR



APPLICATION:

- Clamp connector is for bonding and grounding of electrode conductors in panel boards, transformers, raceways and enclosures.

FEATURES:

- The Kenny Clamp is the ONLY UL Listed connector for bonding and grounding of electrode conductors.
- Ensures good metallic connection and low impedance path for grounding and bonding of electrical equipment.
- Tested and listed at 9000 amperes.
- Complies with 110.3 (B) 250.8 and 312.5 A NEC, using a listed grounding or bonding connector for the proper application.
- Meets UL 467 requirements for bonding and grounding and UL 468A standard for connectors.

STANDARD MATERIALS:

Brass

CERTIFICATIONS AND COMPLIANCES



PATENT PENDING
UL Standard: UL514B
NEMA FB-1
ASTM Rated

Complies with 110.3, (B) 250.8, and 312.5 A NEC, using a listed grounding or bonding connector for the proper application.

Meets UL 467 requirements for bonding and grounding and UL 468A standard for connectors.

TYPE KC1AST

CATALOG NUMBER	TRADE SIZE	UNIT PACK	MASTER PACK	LBS./100 PCS	UPC #
KC1AST	#1/0 AWG STRANDED	10	100	34	99900
KC2AST	#2/0 AWG STRANDED	10	100	34	99901
KC2ST	#2 AWG STRANDED	10	100	52	99902
KC3AST	#3/0 AWG STRANDED	10	100	52	99903
KC4AST	#4/0 AWG CONCENTRIC	10	100	65	99899
KC4SO	#4 AWG SOLID	10	100	52	99904
KC4ST	#4 AWG STRANDED	10	100	65	99905
KC6SO	#6 AWG SOLID	10	100	65	99906
KC6ST	#6 AWG STRANDED	10	100	87	99907
KC8SO	#8 AWG SOLID	10	100	87	99908
KC8ST	#8 AWG STRANDED	10	100	87	99909